

2 Select lock and keying options (choose from additional selections on page 62)


If you have locking and security needs other than the individual lock (lock and 2 keys) that comes with all cabinets, select from the options below or see page 62.

Individual Lock (RG)

Cabinets come with an individual lock and 2 keys. Each cabinet lock is keyed differently.

No Lock (NL)


Specify if no cylinder lock is desired for cabinet housing. Cabinet will still include PreventTip® one-drawer-at-a-time safety feature. Not available for double hinged door cabinets.



Keyed Alike Lock (KA)

All cabinets have identical locks, each with 2 keys; the same key opens all cabinets. Each cabinet in the keyed alike group must have keyed alike (KA) specified on the order. Cabinets containing drawers and doors will only be keyed alike if specified.

PART NO.	LOCK TYPE
KA	keyed alike lock



Master Keyed Lock (MA)

Each cabinet has a different lock with 2 keys. Each cabinet in the master key group must have master keyed lock (MA) specified on the order. Master key (MK) that opens all locks must be ordered separately.

PART NO.	LOCK TYPE
MA	master lock
MK	group master key
GMK	grand master key

3 Select optional cabinet base

Fork Truck Base

Steel fork truck base permits moving of fully loaded cabinets. Base has snap-on front and rear covers, and is recessed 1 1/8" (30mm) from the front of the housing. Bases are pre-punched to allow stacking. Color: to match housing.



Pallet Truck Base

Steel pallet truck base permits moving of fully loaded cabinets with a hand pallet truck. Base has snap-on front and rear covers, and is recessed 1 1/8" (30mm) each from the front and back of the housing. Color: to match housing.



Frame Base

Steel base is used to bring cabinets up to desired work height. Base is recessed 1 1/8" (30mm) from the front of the housing. Color: to match housing.



Mobile Caster Base

A set of 2 fixed and 2 swivel casters. Each swivel caster has an individual wheel lock. Casters are factory mounted to the base. (See page 66 for other mobile accessories.)



Wet Clean Base

Allows for easy cleaning below housing in areas where floors are often washed (such as labs and hospitals), or where wet floors are an issue. Raises cabinet housing 4 9/16" above floor. Individual leg height is further adjustable to allow for leveling (up to 1 3/4" additional height), even on extremely uneven surfaces. Cabinet can be lifted and moved with a hand pallet truck.



TYPE	OVERALL HEIGHT	CASTER DIMEN.	WEIGHT CAPACITY	NW	MP	SC	MW	DW
Fork truck base	2 3/8" (60mm)			-	MP-FTB	SC-FTB	MW-FTB	DW-FTB
Pallet truck base	4" (100mm)				MP-PTB	SC-PTB	MW-PTB	DW-PTB
Frame base	2" (50mm)			NW-2	MP-2	SC-2FB	MW-2FB	DW-2FB
Frame base	4" (100mm)			NW-4	MP-4	SC-4FB	MW-4FB	DW-4FB
Frame base	6" (150mm)			NW-6	MP-6	SC-6FB	MW-6FB	DW-6FB
Mobile base*	4 3/4"	3 1/2" x 1 1/4"	900 lb.	TMMB-19/3.5	-	-	-	-
Mobile base*	5 5/8"	4" x 1 1/4"	1000 lb.	CB-NW4X1	CB-MP4X1	CB-SC4X1	-	-
Mobile base*	6 1/4"	4" x 2"	1400 lb.	CB-NW4B	CB-MP4B	CB-SC4B	-	-
Mobile base*	6 1/4"	4" x 2"	2400 lb.	-	CB-MP4ML	CB-SC4ML	CB-MW4ML	CB-DW4ML
Mobile base*	8"	6" x 2"	2400 lb.	-	CB-MP6B	CB-SC6B	-	-
Mobile base*	8"	6" x 2"	3600 lb.	-	CB-MP6ML	CB-SC6ML	CB-MW6ML	CB-DW6ML
Wet clean base	4 9/16"			WCB-NW	WCB-MP	WCB-SC	WCB-MW	WCB-DW

*mobile bases not recommended for use with 1225 height or higher cabinets




How to Order Custom Full Depth Cabinets (28 1/2" deep)

4 Select optional cabinet top (individual cabinet tops page 67; counter tops for multiple cabinets page 107)

5 Select drawers, shelves and/or roll-out trays
 Drawers, shelves and roll-out trays can be arranged and re-arranged in a cabinet housing in any sequence. See the graphic on page 37 for information on configuring the correct height(s) of drawers and doors to fit the housing you have selected.

Drawers

Drawers are 100% full extension, allowing complete use of the furthest corners and easy access to all contents. Each drawer has a maximum load capacity of either 440 lb. (200kg) or 165 lb. (75kg).



Shelves

Fixed bottom shelves and adjustable upper shelves can be moved up or down in 1" increments. Vertical dividers are available to sub-divide shelves. Shelf cabinets are often stacked above drawer cabinets for maximum space savings. Maximum load capacity of 440 lbs. (200kg) evenly distributed.



Roll-Out Trays

Roll-out trays allow easy access to stored items, even in the farthest corner. 100% full extension, 440 lb. (200 kg) or 165 lb. (75kg) maximum load capacity.



DRAWER FOOTPRINTS (usable inside widths shown below – all full depth drawers are 24" / 610mm / 36 units deep)



NW WIDTH
12 1/2" wide
(318mm / 19 units)



MP WIDTH
18" wide
(459mm / 27 units)



SC WIDTH
24" wide
(610mm / 36 units)



MW WIDTH
42 13/16" wide
(1088mm / 64 units)



DW WIDTH
52 3/16" wide
(1325mm / 78 units)

DRAWERS

HEIGHT (points)	USEABLE HEIGHT	SIDEWALL HEIGHT	NW 165 lb. capacity	MP 165 lb. capacity	MP 440 lb. capacity	SC 440 lb. capacity	MW 440 lb. capacity	DW 440 lb. capacity
75	2 1/8" (55mm)	2" (50mm)	NW75N	MP75N	MP75F	SC75F	MW75F	DW75F
100	3 1/8" (80mm)	3" (77mm)	NW100N	MP100N	MP100F	SC100F	MW100F	DW100F
125	4 1/8" (105mm)	3" (77mm)	NW125N	MP125N	MP125F	SC125F	MW125F	DW125F
150	5 1/8" (130mm)	5" (127mm)	NW150N	MP150N	MP150F	SC150F	MW150F	DW150F
175	6 1/8" (155mm)	5" (127mm)	NW175N	MP175N	MP175F	SC175F	MW175F	DW175F
200	7 1/16" (180mm)	7" (177mm)	NW200N	MP200N	MP200F	SC200F	MW200F	DW200F
225	8 1/16" (205mm)	7" (177mm)	NW225N	MP225N	MP225F	SC225F	MW225F	DW225F
250	9" (230mm)	8 15/16" (227mm)	NW250N	MP250N	MP250F	SC250F	MW250F	DW250F
275	10" (255mm)	8 15/16" (227mm)	NW275N	MP275N	MP275F	SC275F	MW275F	DW275F
300	11" (280mm)	10 15/16" (277mm)	NW300N	MP300N	MP300F	SC300F	MW300F	DW300F
300-FFH	11" (280mm)	10" (254mm)	NW300N-FFH*	-	-	-	-	-
325	12" (305mm)	10 15/16" (277mm)	NW325N	MP325N	MP325F	SC325F	MW325F	DW325F
325-FFH	12" (305mm)	10" (254mm)	NW325N-FFH*	-	-	-	-	-
350	13" (330mm)	10 15/16" (277mm)	-	-	MP350F	SC350F	MW350F	DW350F

*file drawer

SHELVES AND TRAYS

D = depth; UW = usable width

TYPE	NW 440 lb. capacity	MP 165 lb. capacity	MP 440 lb. capacity	SC 440 lb. capacity	MW 440 lb. capacity	DW 440 lb. capacity
Adjustable shelf 24 1/4" (616mm) D	NW-AS 14 3/8" (366mm) UW		MP-AS 19 3/4" (502mm) UW	SC-AS 25 13/16" (655mm) UW	MW-AS 44 1/2" (1131mm) UW	DW-AS 53 29/32" (1369mm) UW
Bottom shelf 23 3/4" (604mm) D	NW-BS 14 7/16" (367mm) UW		MP-BS 19 13/16" (503mm) UW	SC-BS 25 7/8" (656mm) UW	MW-BS 44 9/16" (1132mm) UW	DW-BS 53 15/16" (1370mm) UW
Roll-out tray 24" (609mm) D	-	MP-TCN 17 1/8" (435mm) UW	MP-TCF 18" (459mm) UW	SC-TCF 24" (610mm) UW	MW-TCF 42 13/16" (1088mm) UW	DW-TCF 52 3/16" (1326mm) UW



5 Select cabinet doors

Flush Hinged Door

Single door protects cabinet contents. Door is provided with integrated handle (reversible in field to allow door to open in opposite direction), individual lock (RG) and 2 keys. **Only bottom and adjustable shelves may be installed behind flush doors – no drawers or roll-out trays, except for MP-TCN roll-out trays in MP width cabinets.**



Retractable Door

Door slides out and back, stored out of the way when not in use. Door is provided with handles, individual lock (RG) and 2 keys. **Only bottom and adjustable shelves may be installed behind retractable doors – no drawers or roll-out trays.**



Double Hinged Door Cabinets

To order double hinged door cabinets, see the ordering information on page 38.



Sliding and Hinged Door Shelf Cabinets

For ordering information on sliding and hinged door shelf cabinets, see pages 68-69.



FLUSH HINGED DOORS

HEIGHT (points)	HEIGHT	NW*	MP*	SC*	MW	DW
300	11 13/16" (300mm)	FD300-19 ■ **	FD300-27 ■ **	-	-	-
450	17 11/16" (450mm)	FD450-19 ■ **	FD450-27 ■ **	FD450-36 ■ **	-	-
600	23 5/8" (600mm)	FD600-19 ■ ***	FD600-27 ■ ***	FD600-36 ■ ***	-	-
750	29 9/16" (750mm)	FD750-19 ■	FD750-27 ■	FD750-36 ■	-	-
900	35 7/16" (900mm)	FD900-19 ■	FD900-27 ■	FD900-36 ■	-	-

* to order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box (■) in the part number.

** limit: 1 adjustable shelf or 1 bottom shelf

***limit: 2 shelves (adjustable shelf and/or bottom shelf)

RETRACTABLE DOORS

TYPE	HT. (points)	USEABLE HT.	NW	MP	SC	MW	DW
Solid steel door	300	8 5/16"	-	RD300/MP	RD300/SC	RD300/MW	RD300/DW
Solid steel door	450	14 1/4"	-	RD450/MP	RD450/SC	RD450/MW	RD450/DW
Solid steel door	600	20 1/8"	-	RD600/MP	RD600/SC	RD600/MW	RD600/DW
Solid steel door with plexiglas window	450	14 1/4"	-	RD450/MP-P	RD450/SC-P	RD450/MW-P	RD450/DW-P
Solid steel door with plexiglas window	600	20 1/8"	-	RD600/MP-P	RD600/SC-P	RD600/MW-P	RD600/DW-P

6 Select drawer partitions and dividers

Drawer interior sets are located in corresponding Easy-Order footprint section (see chart on page 36). Additional drawer accessories are on pages 119-122.

7 Select colors

Housings and drawer fronts can be different colors but drawer interiors are always gray. Color differences exist between color samples and actual finishes. Please contact your Lista representative for accurate color matching. Custom colors are available and will be quoted on request.



COLOR CODE	Beige	Bright Blue	Black	Classic Blue	Dark Gray	Green	Light Gray	Red	Sand	White
	BE	BB*	BK*	CB	GR	GG	LG*	NR	SN	FW

*Available with ESD properties. To specify ESD paint, add prefix "ESD" to paint part number. For ESD paint specifications, see Lista's Workbench and Workspace Furniture Catalog.



How to Order Custom Shallow Depth Cabinets (22 1/2" deep)

There are tens of thousands of ways to configure a Lista cabinet. Our modular building block system means that your cabinets can be configured to exactly suit your requirements.

By walking through the steps summarized on the facing page and shown on the following four pages, you can create shallow depth cabinets that will exactly fit your own specific needs.



HS cabinets with stainless steel counter top.



High-density HS drawers.



Mobile HS (left) and ST (right) cabinets are versatile toolboxes.



Stacked HS shelf and drawer cabinets allow narrow aisles.

TO ORDER AN EASY-ORDER COMBINATION:

(housing with preconfigured drawers and option of drawer interior sets)

	CABINETS	MOBILE CABINETS	DRAWER INTERIOR SETS
CL	pages 44-45	page 46	page 47
ST	pages 48-49	page 50	page 51
HS	pages 52-53	page 54	page 55



T... ca... da... /... Sc... Á... {... |... }... á... •... da... |... Á... V... ||... Á... É... €... Í... È... Ì... H... \... /... Á... F... È... Í... È... Í... Á... F... È... Í... È... Í... Á...

How to Order **Custom Shallow Depth Cabinets (22 1/2" deep)**

1 Select cabinet housing

Cabinet housing can be configured with any sequence of drawers, shelves and roll-out trays (see page 60). See the graphic on page 57 for information on configuring the correct height(s) of drawers and doors to fit the housing you have selected. Housing includes an individual lock and 2 keys.

FOOTPRINTS



CL WIDTH
22 3/16" wide



ST WIDTH
28 1/4" wide



HS WIDTH
40 1/4" wide

HEIGHTS



MODEL 300
15 3/4" overall height



MODEL 450
21 5/8" overall height



MODEL 600
27 1/2" overall height



MODEL 750
33 1/2" overall height



MODEL 900
39 3/8" overall height



MODEL 1050
45 1/4" overall height



MODEL 1225
52 3/16" overall height



MODEL 1350
57 1/8" overall height

AVAIL. HT. (points)	OVERALL HEIGHT (inches/mm)	CL	ST	HS
300	15 3/4" (400mm)	CL300	ST300	HS300
450	21 5/8" (550mm)	CL450	ST450	HS450
600	27 1/2" (700mm)	CL600	ST600	HS600
750	33 1/2" (850mm)	CL750	ST750	HS750
900	39 3/8" (1000mm)	CL900	ST900	HS900
1050	45 1/4" (1150mm)	CL1050	ST1050	HS1050
1225	52 3/16" (1325mm)	CL1225	ST1225	HS1225
1350	57 1/8" (1450mm)	CL1350	ST1350	HS1350

OR select cabinet housing with double hinged doors (housing depth is 23 1/2")

Double hinged door housing includes a pair of hinged doors and an individual lock and 2 keys. It can be configured with any sequence of drawers, shelves and roll-out trays (see page 60). For tops for double hinged door cabinets, contact your Lista representative.



AVAIL. HT. (points)	OVERALL HEIGHT (inches/mm)	CL	ST	HS
600	27 1/2" (700mm)	-	STDHD600	HSDHD600
750	33 1/2" (850mm)	-	STDHD750	HSDHD750
900	39 3/8" (1000mm)	-	STDHD900	HSDHD900
1225	52 3/16" (1325mm)	-	STDHD1225	HSDHD1225
1350	57 1/8" (1450mm)	-	STDHD1350	HSDHD1350



5 Select cabinet doors

Flush Hinged Door

Single door protects cabinet contents. Door is provided with integrated handle (reversible in field to allow door to open in opposite direction), individual lock (RG) and 2 keys. **Only bottom and adjustable shelves may be installed behind flush doors – no drawers or roll-out trays.**



Retractable Door

Door slides out and back, stored out of the way when not in use. Door is provided with handles, individual lock (RG) and 2 keys. **Only bottom and adjustable shelves may be installed behind retractable doors – no drawers or roll-out trays.**



Double Hinged Door Cabinets

To order double hinged door cabinets, see the ordering information on page 58.



Sliding and Hinged Door Shelf Cabinets

For ordering information on sliding and hinged door shelf cabinets, see pages 68-69.



FLUSH HINGED DOORS

HEIGHT (points)	HEIGHT	CL*	ST*	HS
300	11 13/16" (300mm)	FD300-27 ■ **	-	-
450	17 11/16" (450mm)	FD450-27 ■ **	FD450-36 ■ **	-
600	23 5/8" (600mm)	FD600-27 ■ ***	FD600-36 ■ ***	-
750	29 9/16" (750mm)	FD750-27 ■	FD750-36 ■	-
900	35 7/16" (900mm)	FD900-27 ■	FD900-36 ■	-

* to order, door opening orientation ("R" for right or "L" for left) must be written in place of the red box (■) in the part number.

** limit: 1 adjustable shelf or 1 bottom shelf

***limit: 2 shelves (adjustable shelf and/or bottom shelf)

RETRACTABLE DOORS

TYPE	HEIGHT (points)	USEABLE HEIGHT	CL	ST	HS
Solid steel door	300	8 5/16"	-	RD300/ST	RD300/HS
Solid steel door	450	14 1/4"	-	RD450/ST	RD450/HS
Solid steel door with plexiglas window	450	14 1/4"	-	RD450/ST-P	RD450/HS-P

6 Select drawer partitions and dividers

Drawer interior sets are located in corresponding Easy-Order footprint section (see chart on page 56). Additional drawer accessories are on pages 119-122.

7 Select colors

Housings and drawer fronts can be different colors but drawer interiors are always gray. Color differences exist between color samples and actual finishes. Please contact your Lista representative for accurate color matching. Custom colors are available and will be quoted on request.



COLOR CODE Beige BE Bright Blue BB* Black BK* Classic Blue CB Dark Gray GR Green GG Light Gray LG* Red NR Sand SN White FW

*Available with ESD properties. To specify ESD paint, add prefix "ESD" to paint part number. For ESD paint specifications, see Lista's Workbench and Workspace Furniture Catalog.

